

# KANSAS CITY AREA TRANSPORTATION AUTHORITY 1350 E. 17<sup>th</sup> Street Kansas City, Missouri 64108

#### Addendum NO. 1

Request for Proposals (RFP) #G25-6002-32A
Supply of Ultra-Low Sulfur Diesel #2 and 87 Octane Gasoline

Issue Date: June 20, 2025

This Addendum is hereby made a part of the Request for Proposals and Project Documents to the same extent as if it were originally included therein and is intended to modify and/or interpret the proposal documents by additions, deletions, clarifications, or corrections. The Contractor shall acknowledge receipt of this Addendum on the "Receipt of Addenda" form (herein attached) and shall include the form in their Proposal Submittal documents.

\_\_\_\_\_\_

## PROPOSAL CHANGES/NOTICES

1. "Furthermore, the KCATA uses a diesel winter blend during the months November through February and during the summer months, the KCATA uses a summer additive" has been changes to: "Furthermore, the KCATA uses a diesel winter blend during the months October through March and during the summer months, the KCATA uses a summer additive".

## **BIDDER QUESTIONS/REQUESTS FOR CLARIFICATION**

- 1. Q: When will preliminary bid tabulations be available?
  - A: This is a request for proposals. Bid tabs/Proposal info will be available after award of the contract.
- 2. Q: Should applicable taxes be listed as separate line items on the invoices?
  - A: Yes, Taxes should be their own separate line items.
- 3. Q: Will the bid award be split by product or awarded all to one bidder?
  - A: The KCATA has the right to make an award to more or one proposer.
- 4. Q: Is Mansfield still providing fuel and can you please supply what their current Rack mark-up is?
  - A: Mansfield Oil Company Is under contract with the KCATA until 9/30/2025.

- 5. Q: Over the last year, what firm prices did you lock in? What date did you lock it in? What time frame did you lock it in for
  - A: Please refer to section 2.2.A in the scope of services.
- 6. Q: Will the awarded vendor be asked to provide a NYMEX quote daily up until KCATA decides to lock in? How does that process typically work?
  - A: This is the KCATA's current process, but this is to be discussed with the new contract awardee.
- 7. Q: The Pricing Excel gasoline quantities do not match the updated bid quantities, which should we use?
  - A: Use the amounts stated in the RFP solicitation. A revised Price proposal has been attached to this addendum.
- 8. Q: The Pricing Excel winter diesel months vary from the months provided in the bid. Can you please confirm which months you will be utilizing winter diesel?
  - A: We use winter blend from October through March. Wording in the RFP has been revised.
- 9. Q: Under Insurance KCATA has added Cyber Security in the amount of \$3,000,000. Would KCATA consider lowering this to \$2,000,000 or will our Computer Fraud of \$2,000,000 in addition to our Cyber Security of \$2,000,000 be acceptable as coverage?
  - A: Prosers have the opportunity to note omissions and/or exceptions to the redline sample contract. All omissions and exceptions will be negotiated with the successful firm.
- 10. Q: Are you wanting a subscription to OPIS daily or just proof of cost with invoices?
  - A: The KCATA requires the awardee to provides us with a subscription to OPIS at no cost to the KCATA.
- 11. Q: With wanting an OPIS report sent with the daily and monthly averages. Is the Rack Pricing based on the Kansas City OPIS Average for day of delivery?
  - A: Yes
- 12. Q: Is there an opportunity to listen to the bid opening via Zoom, Teams, conference call, etc?
  - A: There will not be a public bid opening for this project.
- 13. Q: When will the bid be awarded?
  - A: Anticipated award date is September 29th.
- 14. Q: How will successful bidder be notified?
  - A: Successful bidders will be notified via email with a letter of intent.
- 15. Q: When is the anticipated start date?
  - A: Anticipated start date is October 1, 2025
- 16. Q: Will there be any renewal options after the 5 years?
  - A: Per KCATA's policy the maximum length of our contracts are 5 years.

- 17. Q: Please confirm that there are no bonds associated with this RFP.
  - A: There are NO bonds associated with this RFP.
- 18. Q: Is biodiesel acceptable or forbidden?
  - A: Biodiesel will not be accepted.
- 19. Q: What is your preferred payment method (check, ACH, EFT, other)?
  - A: We prefer ACH payments.
- 20. Q: Will KCATA be billed on net or gross gallons?
  - A: The KCATA will be billed on Gross gallons.
- 21. Q: What fees are to be included in the markup (LUST, Oil Spill, Superfund, etc.)?
  - A: KCATA is tax exempt except for Missouri & USA Environmental Fee's, Missouri Inspection Fee, USA Oil Spill, and USA Superfund.
- 22. Q: Please provide an invoice and bill of lading example for each fuel type.
  - A: Attached to the Addendum is a copy of a BOL. If you are requesting and Invoice, please send a FOIA request to Jill Spurling at jspurling@kcata.org.
- 23. Q: Is KCATA currently using a fixed price (NYMEX) or a markup from daily rack pricing?
  - A: The KCATA is currently using fixed pricing on our diesel orders and using rack pricing on our Gasoline orders.
- 24. Q: If using OPIS rack pricing, to confirm, it would be OPIS Daily Rack Average Kansas City?
  - A: Yes
- 25. Q: What is the average order size for gasoline?
  - A: We average around 1000 gallons per gasoline order.
- 26. Q: Since common carriers are not considered subcontractors for this project, are they required to complete the subcontractor paperwork and to be included in prime contractors' proposal documents?
  - A: Common carriers are not required to complete the subcontractor paperwork.
- 27. Q: For rack pricing does KCATA wish for vendors to quote using OPIS Gross Contract Average All Kansas City, Unbranded Kansas City, or Branded Kansas City?
  - A: We request quotes on Unbranded Kansas City.
- 28. Q: What are the specific dates that KCATA wishes to use for the comparison of rack prices?
  - A: The KCATA has not specified which dates to use, it is up to the Firm to determine which day to use for their proposal pricing.

- 29. Q: Please confirm if your payment terms are net 30?
  - A: Yes, are payment terms are net 30.
- 30. Q: Does KCATA want taxes to be included in the bid differential?
  - A: Yes
- 31. Q: Does KCATA want taxes to be listed as separate line items on invoices?
  - A: Yes
- 32. Q: Does the KCATA provide their own summer additive? If so, What kind of summer additive does KCATA require in their diesel fuel and Gasoline?
  - A: The KCATA does not add their own Summer additive, we will work with the Awardee to determine what additive we use.
- 33. Q: Per ASTM D975 standards a cetane minimum is typically 40. Would KCATA consider reducing the cetane minimum from 43 to be more in line with ASTM standards?
  - A: The KCATA is currently requesting pricing on ULSD #2 with a minimum cetane of 43.
- 34. Q: How often does KCATA intend to test the fuel
  - A: On Average, the KCATA test there tanks twice a month.
- 35. Q: Will KCATA pay for any fuel sampling analysis or will the vendor be expected to cover these costs?
  - A: The KCATA will pay for any fuel analysis done on our tanks.
- 36. Q: It is our understanding that if KCATA awards fixed price; KCATA will guarantee to purchase all fuel from the fixed price provider and will lift all contracted gallons and no more (with a reasonable extension of the term being possible if unforeseen circumstances cause under lifting of gallons). In addition, if KCATA chooses to cancel for convenience any costs associated with hedge losses for un-lifted gallons would be remitted to the vendor. Does this fairly represent how KCATA will treat this solicitation?
  - A: Once the KCATA locks in fixed pricing for a specific time period, we will lift all gallons under that agreement or pay for un lifted gallons.
- 37. Q: If KCATA doesn't lift all of the monthly gallons under the fixed NYMEX price, will they pay the vendor the remaining balance?
  - A: Yes, if the KCATA does not lift all gallons then we will pay the remaining balance.

## **ATTACHMENT**

- Sample Bill of Landing Attachment A
- Revised Price Proposal
- Receipt of Addenda Form

#### **END OF ADDENDUM**

# ATTACHMENT A SAMPLE BILL OF LANDING

BILL OF LADING #:2666316 TRANSACTION #:96610 PAGE #:1 MAGELLAN PIPELINE COMPANY, L.P. START TIME: 2024-08-13 11:25:06 END TIME: 2024-08-13 11:38:32 DOT FIRST RESPONDER INFORMATION GAL UN1203, GASOLINE, 3, PGII ERG#128 1001 GAL 6000 NA1993, DIESEL FUEL, 3, PGIII ERG#128 ONE CARGO TANK MAGELLAN EMERGENCY CONTACT NUMBER: 800-451-8346 3E for Magellan CARRIER 401 E. Donovan Rd TERMINAL ADDRESS: FLEET FUELS LLC Kansas City, KS 66115 KANSAS CITY, MO INSURANCE EXP DATE:2024-09-01 00:00:00.0 VTC: 2118 EPA-Facility ID: 4026-50500 SUPPLIER: 0171 CVR SUPPLY & TR 10 EAST CAMBRIDGE CIR, STE 250 DESTINATION: 001269 KANSAS CITY AREA TRANSIT AUTHO 1350 E. 17 TH ST. KANSAS CITY, KS KANSAS CITY, MO EPA: 3074 PETROEX: 809029 ADD BLN UOM GEV TWP/PSI GRADE GRS RECIPE INFORMATION NET MTR OCT SUMMER REGULAR CONVENTIONAL GASOLINE, 9.0 PSI 10 100 990 0 GAL 61.762 72.6 4-2 87.0 DETERGENT ADDITIZED GASOLINE E10: CONTAINS BETWEEN 9 AND 10 YOU % ETHANOL. ULTRA LOW SULFUR #2 DIESEL 1500 1489 D N 37,600 75.5 4.3 0.0 UNDYED 15 PPM SULFUR (MAX) ULSD FOR USE IN ALL DIESEL VEHICLES AND ENGINES. ULTRA LOW SULFUR #2 DIESEL 2100 2084 0 N GAI 37,600 75.7 4:3 0.0 UNDYED IS PPM SULFUR (MAX) ULSD FOR USE IN ALL DIESEL VEHICLES AND ENGINES, ULTRA LOW SULFUR IZ DIESEL 2400 2382 0 N GAL 37,600 75.4 4.4 0.0 UNDYED 15 PPM SULFUR (MAX) ULSD FOR USE IN ALL DIESEL VEHICLES AND ENGINES. -PRODUCTINETCODE TOTALS (PROMETCDE-GROSS,NET)-1C = 1001, 992 X = 6000, 5955 065 = 901, 893 241 = 100, 99 GASOLINE WITH AN "O" or "A" SUFFIX IN THE BLN (BLEND) COLUMN E10: CONTAINS BETWEEN 9 AND 10 VOL% ETHANOL. GASOLINE WITH A "J" SUFFIX IN THE BLN (BLEND)
COLUMN IS E15: CONTAINS BETWEEN 10 AND 15 VOL% ETHANOL. GASOLINE WITH "G" IN THE BLN (BLEND) COLUMN CONTAINS GREATER THAN 10% ETHANOL. DO NOT BLEND THESE FUELS WITH ETHANOL OR ANY OTHER OXYGENATE. GASOLINE WITH A "B" OR "N" SUFFIX IN THE BLN (BLEND) COLUMN IS E0: CONTAINS NO FOLLOWING ARE THE BLN (BLEND) INDICATORS FOR BIODIESEL BLENDS: D=2% BIODIESEL, F+5% BIODIESEL, E+6% BIODIESEL, H+10% BIODIESEL, C=11% BIODIESEL, K-15% BIODIESEL, L-20% BIODIESEL.

CONTACT THE INVENTORY OWNER AND/OR SUPPLIER OF THIS PRODUCT TO DETERMINE IF IT HAS BEEN RESTRICTED FROM USE IN ANY PRODUCT MARKETED AS E16 JET FUEL WITH "4" SUFFIX IN THE ADD (ADDITIVE) COLUMN CONTAINS DEICER ADDITIVE. DIESEL WITH "3" IN THE ADD COLUMN CONTAINS COLD FLOW IMPROVER. DIESEL WITH "8" IN ADD COLUMN CONTAINS POA. DIESEL WITH '8" IN ADD COLUMN CONTAINS POA.

EFFECTIVE 1/1/2021, MPL IS A DESIGNATED £10 SYSTEM. ANY GASOLINE BLENDED WITH LESS THAN 10% ETHANOL

MAY RESULT IN AN ADDITIONAL OBLIGATION BORNE BY THE SUPPLIER OR RETAIL STATION.

PRODUCTS LOADED AND TRANSPORTED OFF-SITE FOR FURTHER DOWNSTREAM BLENDING PRIOR TO RETAIL SALE, MAY NOT BE SUFFICIENTLY

ADDITIZED TO MEET APPLICABLE FUEL SPECIFICATIONS OR REGULATIONS, ULSD MINIMUM FLASH: 125 DEGREES. CARRIER CERTIFIES that the CARGO TANK or TANKS, supplied for this dripment is a proper container for the transportation of this commodity. By leaving Magelian property with this document. I advanced that if I have been injured white on terminal premises. I have notified Magelian Pipeline personnel of this fact prior to leaving the terminal. I also acknowledge that I was provided a copy of the appropriate Emergency Response Guide(s) with this Bill of Lading SEALS BADGE/DRIVER: 118168 ANTWONE JOHNSON This volume of neat or blanded orbanol, ble disset or renewable disset is designated and intended for use as transportation fuel, heating oil or jot fuel in the 48 U.S. configuous states and Hewel. Any persons expecting this fuel is subject to the requirements of 40 CFR 80.1430. No assigned RRIs transferred by Magellan.

#### MOTOR CARRIER STRAIGHT BILL OF LADING OR DELIVERY TICKET

Phillips 66 Carrier LLC Kansas City Terminal 2029 Fairfax Trafficway Kansas City, KS 66115

Ph: 913-342-0510 EPA#: 452881953

Transportation of product received is subject to the classifications tariffs and/or contracts in effect on the date of this Bill of Lading Not a Bill of Lading when moved in a vehicle operated by shipper or owner of product, but merely a receipt for product.

BOL #	VER	LOAD GATE/START/STOP	DELIVERY #	TANK	VAPOR CERT.	CERT. EXPIRATION
835336	1	08/14/2024 11:52		TRUCK		
		08/14/2024 13:02		TRAILER 62110		04/24/2025
		08/14/2024 13:14		TRAILER 2		L
CHITDREN (Management) - DH				SOLD 20: 00030	0.0 FREIGHTCOLLECT	

SHIPPER (Transferor): PH Phillips 66 Company

2331 CityWest Blvd. Houston, TX 77042

MANSFIELD OIL CO OF GAINESVILL

BILLED TO (Transferee): 263

UNBRANDED P66 CONTRACT

SHIPPED TO: 846244

MANSFIELD OIL CO- VAR MO

VARIOUS MISSOURI

VARIOUS, MO

HOUSTON, TX H M PRODUCT DESCRIPTION

ACTIVE PRESS TEMP API MAX GROSS TANK PSI F GRAV RVP GALS GALS OCTANE 000000 0.0 76.9 36.9 0.0 7,000 6,944.00

X NA1993, Diesel Fuel, 3, III #2 ULSD B5 LUB

Contains 5% Biodiesel. Ultimate consumer should be notified to consult Vahicle Manufacture Fuel Recommendations prior to use. 15 ppm sulfur (maximum) Undyed Ultra-Low Sulfur Motor Vehicle Dissel Fuel for use in all diesel vehicles and engines.

1 CARGO TANK(S) TOTALS 7,000 6,944.00

\*This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation."

RECEIVED BY:

DRIVER: 55555 BRITTELLI, DAVID CARRIER: FFUL FLEET FUELS

I certify that the quantity was received as indicated, except

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC DAY OR NIGHT 800-424-9300 - CONTRACT #671546

ADDITIONAL HAZARD INFORMATION ON BACK OF FORM



# KANSAS CITY AREA TRANSPORTATION AUTHORITY 1350 E. 17<sup>th</sup> Street Kansas City, Missouri 64108

#### Addendum NO. 2

Request for Proposals (RFP) #G25-6002-32A Supply of Ultra-Low Sulfur Diesel #2 and 87 Octane Gasoline

Issue Date: June 26, 2025

This Addendum is hereby made a part of the Request for Proposals and Project Documents to the same extent as if it were originally included therein and is intended to modify and/or interpret the proposal documents by additions, deletions, clarifications, or corrections. The Contractor shall acknowledge receipt of this Addendum on the "Receipt of Addenda" form (herein attached) and shall include the form in their Proposal Submittal documents.

## **PROPOASL CHANGES/NOTICES**

1. Removing the following language from section 2.8.2.A of the solicitation

"The awarded Contractor will supply to KCATA, at no cost to KCATA, a subscription to OPIS reports for the Kansas City market area, for the term of the contract".

2. The Closing date for Proposal submittals has been extended to July 9, 2025 at 2:00pm Central Time

## **REQUESTS FOR CLARIFICATION**

- 1. Addendum #1 Questions 21,30, and 31 Clarification:
  - Taxes should not be included in the bid differential.
- 2. Addendum #1 Question 25 Clarification:
  - The KCATA allows the Awardee to use split transport trucks. The use of a split transport truck shall be determined by the awardee based upon when the KCATA orders fuel.
- 3. Addendum #1 Question 8 Clarification:
  - The KCATA uses a winter blend during the months October through March. An updated Price Proposal is attached.

- 4. Addendum #1 Question 32 Clarification:
  - The KCATA does not use a summer additive. The KCATA uses two different blends of fuel Summer and Winter.
- 5. Addendum #1 Question 5 Clarification:
  - The KCATA last locked in prices on April 29, 2025. Historically, KCATA has locked in pricing for diesel fuel based on NYMEX pricing for 12 to 18 months.
- 6. Addendum #1 Question 20 Clarification:
  - The KCATA will be billed on Net Gallons.

## **ATTACHMENT**

- Revised Price Proposal 6/26/25 (as separate documents)
- Receipt of Addenda Form

**END OF ADDENDUM** 

## **Receipt of Addenda**

Request for Proposal (RFP) #G25-6002-32A Supply of Ultra-Low Sulfur Diesel #2 and 87 Octane Gasoline

Proposers shall return this form when submitting their Proposal Submittal. The form shall be signed and dated by an authorized representative of the firm. Failure to submit this form may deem the Proposer non-responsive. As additional addenda are issued, please notate date received below.

We hereby acknowledge that the Addenda noted below was received all information has been incorporated into the Bid as required. Addendum #1 dated <u>June 20, 2025</u> Date Received \_\_\_\_\_ Date Received \_\_\_\_\_ Addendum #2 dated June 26, 2025 Company Name: Address: City/State/Zip Code: Fax: Telephone: Printed Name: Authorized Signature:

**Email Address:**